

ADHESIVES INFORMATION

Rubber Seal Fabricators offers full technical support on the proper selection and application of adhesives for all customers who purchase one or more of our bonders. In addition, our distributors appreciate all opportunities to provide rubber cord stock and matching adhesives to any of our customers.

We only sell adhesives to our bonder customers because a successful vulcanized bond is a function of having a high quality bonder, quality "vulcanization grade" rubber cord stock, proper matching adhesive and detailed instructions.

Vulcanization is a chemical reaction which converts natural rubber or related polymers into a more durable compound via the addition of sulfur, or other equivalent curatives and accelerators. These additives modify the polymer by forming cross-links (bridges) between individual polymer chains.

For a successful bond to be achieved it is critical that the proper adhesive be applied. Selecting the proper adhesive is a result of knowing the material type of the rubber cord stock and matching it to the proper curing agent . Below are some of the uncured-premixed liquid rubber adhesive options we offer our customers:

RUBBER SEAL FABRICATORS ADHESIVE REFERENCE PART NUMBER LIST

| Cord Stock Material | RSF Adhesive Number | Cure Type | Color | Size |
|-------------------------|---------------------|---------------|-------------|----------|
| EPDM Black Dense | E39902-P-SC-B | Sulfur Cure | Black | 1 Pint |
| EPDM Black Dense | E39902-P-PC-B | Peroxide Cure | Black | 1 Pint |
| EPDM Black Extra Thick | E39906ET-P-SC-B | Sulfur Cure | Black | 1 Pint |
| EPDM Black Sponge | E39906-P-SC-B | Sulfur Cure | Black | 1 Pint |
| General Purpose | GP39S100-P-SC-B | Sulfur Cure | Black | 1 Pint |
| Isoprene Natural Rubber | NR39S300-P-SC-B | Sulfur Cure | Black | 1 Pint |
| Neoprene Black Dense | N39103-P-SC-B | Sulfur Cure | Black | 1 Pint |
| Neoprene Black Sponge | N39108-P-SC-B | Sulfur Cure | Black | 1 Pint |
| Neoprene White | N39120-P-SC-B | Sulfur Cure | Black | 1 Pint |
| Nitrile (Buna-N Black) | BN39127-P-SC-B | Sulfur Cure | Black | 1 Pint |
| Nitrile (Buna-N) | N39S400-P-PC-B | Peroxide Cure | Black | 1 Pint |
| SBR Black | SBR39122-P-SC-B | Sulfur Cure | Black | 1 Pint |
| SBR White | SBR39128-P-SC-B | Sulfur Cure | Black | 1 Pint |
| Silicone | S39S500-P-SC-O | Peroxide Cure | Orange | 1 Pint |
| Silicone | S39S500-P-SC-W | Peroxide Cure | White | 1 Pint |
| Silicone | S39S500-P-SC-B | Peroxide Cure | Black | 1 Pint |
| Silicone | S39S500-P-SC-G | Peroxide Cure | Green | 1 Pint |
| Silicone | S39S500-P-SC-T | Peroxide Cure | Translucent | 1 Pint |
| Viton® (black) | V39EC4503-P-SC-B | Sulfur Cure | Black | 1/2 Pint |

Our bonders are not designed to be used with Cyanoacrylate Adhesives (CA, Instant adhesives...)